

# Factsheet für Lime (ID : 43)

Zuletzt aktualisiert: 22.10.2024 04:00

## GBFS

GBFS-Versionen: 2.3

Für den Datenlieferanten Lime können über die folgenden GBFS-Endpunkte Daten abgefragt werden:

- [https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/system\\_information.json](https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/system_information.json)
- [https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/vehicle\\_types.json](https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/vehicle_types.json)
- [https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/free\\_bike\\_status.json](https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/free_bike_status.json)
- [https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/system\\_pricing\\_plans.json](https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/system_pricing_plans.json)
- [https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/geofencing\\_zones.json](https://mdd.vrs.de/gbfs-output/{Datenlieferanten ID}/{GBFS Version}/geofencing_zones.json)

## GraphQL

GraphQL-Queries erlauben das Abfragen gebündelter Feeds mehrerer Provider. Welche Feeds gebündelt werden kann über den Provider Filter gesteuert werden. Mehr Informationen zu gebündelten Feeds und Filtern können Sie der MDD NRW Schnittstellenbeschreibung entnehmen.

### Legende

- *Kursiver Datentyp*: Aufzählung. Im GraphQL Schema sind alle möglichen Werte aufgelistet.
- **Fetter Datentyp**: Komplexer Datentyp, genaue Definition findet sich im Factsheet und im GraphQL Schema
- [Datentyp] mit eckigen Klammern: Liste mit Einträgen des jeweiligen Datentyps.
- Map(Datentyp1, Datentyp2): Eine Zuordnungstabelle für assoziative Daten.

### Provider

Endpunkte: *listProviders*, *providerById*

Beschreibung: Complex datatype for information about providers. A provider is a source of data from which the MDD NRW receives information.

Attribut	Datentyp	Beschreibung	Beispiel
id	Long	The id is a unique identifier within the same class.	5179
name	String	Name of this provider	VRS
active	boolean	If a provider is active, the data for this provider is updated regularly. A value of "true" equals the state active.	
geofencingZones	<b>[GeofencingZone]</b>	Geofencing zones of this provider	
vehicleTypes	<b>[VehicleType]</b>	Vehicle types of this provider	
pricingPlans	<b>[PricingPlan]</b>	Pricing plans of this provider	

## GeofencingZone

Endpunkte: *listGeofencingZones*, *geofencingZoneById*

Beschreibung: Complex datatype for information about geofencing zones. Geofencing zones contain information about, for example, No-parking-Areas for vehicles of the corresponding provider.

Attribut	Datentyp	Beschreibung	Beispiel
id	Long	The id is a unique identifier within the same class.	5179
provider	<b>Provider</b>	The provider this entity belongs to	
lastUpdated	Date	This entity was last loaded into the MDD NRW at this point. The date is given in UTC.	2024-07-30T09:30:00Z
coordinates	String	Coordinates representing a polygon covering the zone. The format can differ between providers.	<code>{"type":"MultiPolygon","coordinates":[[[[[6,50], ...]]]} or {"centroid":{"type":"Point","coordinates":[6,50]},"position":{"type":"Polygon","coordinates":[[[6,50],...]]} or [[[[[6,50],...]]]</code>
rideAllowed	Boolean	“true” if a ride can start and stop in this zone.	
rideThroughAllowed	Boolean	“true” if a vehicle is allowed to pass the zone but cannot end the ride here.	
vehicleTypes	<b>[VehicleType]</b>	The geofencing zone is relevant for vehicles of these vehicle types. If no vehicle types are given the restrictions are relevant for all vehicle types of this provider.	

## VehicleType

Endpunkte: *listVehicleType*, *vehicleTypeById*

Beschreibung: Complex datatype for information about vehicle types. Vehicles of the same type share the available attributes.

Attribut	Datentyp	Beschreibung	Beispiel
id	Long	The id is a unique identifier within the same class.	5179
provider	<b>Provider</b>	The provider this entity belongs to	
lastUpdated	Date	This entity was last loaded into the MDD NRW at this point. The date is given in UTC.	2024-07-30T09:30:00Z
type	String	External id given by provider	
formFactor	<i>VehicleFormFactor</i>	The vehicle's general form factor	SCOOTER
propulsionType	<i>VehiclePropulsionType</i>	The primary propulsion type of the vehicle	ELECTRIC
maxRangeMeters	Integer	Maximum range in meters this vehicle can travel when fully charged without refueling	4000
geofencingZones	<b>[GeofencingZone]</b>	Zones that apply to this vehicle type	
vehicles	<b>[Vehicle]</b>	Vehicles that have this vehicle type	

## PricingPlan

Endpunkte: *listPricingPlans*, *pricingPlanById*

Beschreibung: Complex datatype for information about pricing plans.

Attribut	Datentyp	Beschreibung	Beispiel
id	Long	The id is a unique identifier within the same class.	5179
provider	<b>Provider</b>	The provider this entity belongs to	
lastUpdated	Date	This entity was last loaded into the MDD NRW at this point. The date is given in UTC.	2024-07-30T09:30:00Z
externalId	String	External id given by provider	
currency	<i>PriceCurrency</i>	Currency used to pay the price	EUR
price	Double	Price in unit specified by currency	1.29
isTaxable	Boolean	Indicates whether additional tax will be added to the price	
perMinPricing	<b>[PricingModel]</b>	Additional price per time interval. The time interval length and the price per interval differ depending on the ride length.	

## PricingModel

Beschreibung: Complex datatype for information about the pricing model for a ride. Pricing Models are either based on duration or distance.

Attribut	Datentyp	Beschreibung	Beispiel
start	Integer	The pricing model applies when start is reached.	0
rate	Double	Price per interval	0.22
interval	Integer	Interval length	1
end	Integer	The pricing model applies until end is reached. If no end is given the pricing model is applies indefinitely.	

## Vehicle

Endpunkte: *listVehicle, vehicleById*

Beschreibung: Complex datatype for information about vehicles, for example scooters, bikes and cars.

Attribut	Datentyp	Beschreibung	Beispiel
id	Long	The id is a unique identifier within the same class.	5179
provider	<b>Provider</b>	The provider this entity belongs to	
lastUpdated	Date	This entity was last loaded into the MDD NRW at this point. The date is given in UTC.	2024-07-30T09:30:00Z
externalId	String	Id given by provider	
lat	Double	Current WGS84 latitude of the vehicle in decimal degrees	51.890169
lon	Double	Current WGS84 longitude of the vehicle in decimal degrees	6.100169
vehicleType	<b>VehicleType</b>	Vehicle type of the vehicle	
status	<i>Status</i>	Current status of the vehicle	AVAILABLE
remainingRangeInM	Integer	Remaining range of vehicle in meters with current charge	
pricingPlan	<b>PricingPlan</b>	Pricing information for the corresponding vehicle	
isReserved	Boolean	“true” if the vehicle is currently reserved	
isDisabled	Boolean	“true” if the vehicle is currently disabled	
rentalUris	<b>RentalUris</b>	Rental URIs for Android, iOS and Web	
lastReported	Date	The last time this station reported its status to the operator's backend.	2024-07-30T09:30:00Z

## RentalUris

Beschreibung: Complex datatype for information about rental URIs for Android, iOS and Web

Attribut	Datentyp	Beschreibung	Beispiel
android	String	Rental URI for Android	
ios	String	Rental URI for iOS	